



## U.P. POLLUTION CONTROL BOARD

Validity Period :31/01/2018 To 31/12/2022

Ref No. - 12747/UPPCB/Varanasi(UPPCBRO)/CTE/VARANASI/2018 Dated:- 08/02/2018

To,

M/S Dr. Nitin Bansal  
50 MLD STP at Ramana  
Village Ramana,  
VARANASI

**Sub :** Consent to Establish (CTE) for New Unit/Expansion/Diversification under the provisions of water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.

Please refer to your application form no 547654 dated - 30/01/2018 .After examining the application with respect to pollution angle, Consent to Establish is granted subject to the compliance of following conditions :

1. Consent to establish is being issued for following specific details :

A- Site along with geo-coordinates :

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
Domestic Sewage 50 MLD	Metric Tonnes/Day	

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
Treated Domestic Waste Water 50 MLD	50

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
Dry Sludge	Cubic Meters/Day		16

E: Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	50	Quantity (KL/D)
Ground Water (within premises)	Tubewell	25.0

F. Quantity of effluent (In KLD) :

Effluent Details	
Source Consumption	Quantity (KL/D)
Domestic	25.0

R.B. (Sr. Officer)  
File No. 12747  
17/02/18

G- Fuel used in the equipment/machinery Name and Quantity (per day) :

Fuel Consumption Details		
Fuel	Consumption(tpd/kld)	Use
Diesel	.1	DG Set

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

- You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
- Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 31/12/2022 to the Board.
- Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
- It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
- Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.
- Bank details.

Bank Fee Details				
Bank Name	Branch Name	Draft No./Money Receipt No	Date	Rupees
IDBI Bank	SIRI FORT INSTITUTIONAL AREA DELHI	018477	09/01/2018	50000.0

**Specific Conditions:**

- S.T.P. must Be installed online effluent continuous monitoring system.
- S.T.P. must be installed separate energy meter for consumption of electricity.
- The all units of S.T.P. must be operating satisfactory and treated effluents meet the discharge norms by the Board.
- As per possible treated effluent should be use for irrigation of green Belt.
- Green Belt must be developed and send the regular implementation status to UPPCB on quarterly basis.
- D.G. set must be installed with acaustic enclosure.
- S.T.P. must compliance of E.P.Act 2006.
- S.T.P. must submit Bank Guarantee of Rs. 1.00 lac.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 31/12/2022 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

PRAMOD MISHRA  
Digitally signed by PRAMOD MISHRA  
Date: 2018.02.16 15:59:13 +05'30'

Dated:- 08/02/2018

Copy To -

Regional Officer, U.P. Pollution Control Board, Varanasi for information and necessary action.

PRAMOD MISHRA  
Digitally signed by PRAMOD MISHRA  
Date: 2018.02.16 15:59:29 +05'30'